EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	28	(flex adj cable and (load adj beam or head adj suspension or arm or flexure)) same (join$3 or attach or assemble)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:37
L3	0	(flex adj cable and (load adj beam or head adj suspension or arm or flexure)) same (join$3 or attach or assemble) and weld	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:38
L4	10	(flex adj cable and (load adj beam or head adj suspension or arm or flexure)) same (join$3 or attach or assemble) and pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:38
L5	18	("3696319" | "4567543" | "4645280" | "4894015" | "5012368" | "5030113" | "5095396" | "5103359" | "5121273" | "5122703" | "5140482" | "5166846" | "5241454" | "5392179" | "5404636" | "5422764" | "5495377" | "5573409").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/08 12:56
L6	1	"5859745".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/08 12:56
S1	178	360/264.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:37
S2	278	360/245.9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:11
S3	232	360/245.9.ccls. and (cable or circuit or flex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:12
S4	74	360/245.9.ccls. and ((cable or circuit) near5 flex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:26

S5	18	(Head adj arm adj assembly) and suspension and (flex near5 (cable or cuircuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:30
S6	43	((load adj beam) and suspension) near5 (mak$3 or manufactur$3 or assembl$3) and (flex near5 (cable or cuircuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:32
S7	133	360/244.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:53
S8	103260	"360"/$.ccls. (suspension or flexure or (load adj beam)) near5 weld$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:54
S9	845	"360"/$.ccls. and (suspension or flexure or (load adj beam)) near5 weld$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:54
S10	8	S8 and (welding adj pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:56
S11	105	S8 and (weld$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:06
S12	37	(weld$3 near5 pin near5 copper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:12
S13	101343	"360"/$.ccls. or "369"/$.ccls. and (weld$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:13
S14	41	"360"/$.ccls. and (weld$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:15

EAST Search History

S15	13	"369"/$.ccls. and (weld$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:13
S16	506	"29"/$.ccls. and (weld$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 13:23
S17	86	"29"/$.ccls. and (weld$3 near5 pin) and arm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:23
S18	0	"29"/$.ccls. and (weld$3 near5 pin) and (load adj beam)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:25
S19	177	(actuator adj arm) near5 weld$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:25
S20	2	"6061896".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 13:22
S21	2	"29"/603.03.ccls. and (weld$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 13:24
S22	344	"29"/603.03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 13:24
S23	18	("4796122" | "4943875" | "4947275" | "4991045" | "5185683" | "5198945" | "5296984" | "5313355" | "5323284" | "5355267" | "5390060" | "5428489" | "5461525" | "5495375" | "5497282" | "5579190" | "5631789" | "5657531"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/13 13:26

| S24 | 18 | ("4796122" \| "4943875" \| "4947275" \| "4991045" \| "5185683" \| "5198945" \| "5296984" \| "5313355" \| "5323284" \| "5355267" \| "5390060" \| "5428489" \| "5461525" \| "5495375" \| "5497282" \| "5579190" \| "5631789" \| "5657531"). PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/06/13 13:39 |